

## NOTICE OF APPLICATION

**PLANNING ACTION:** PA-T2-2024-00053

**SUBJECT PROPERTY:** 231 Granite Street


**PROPERTY OWNERS:** Stephanie & Bryan DeBoer

**APPLICANTS:** Carlos Delgado Architect

**DESCRIPTION:** A request for a Physical and Environmental (P&E) Constraints permit to construct a new single-family dwelling in steep slopes greater than 25% within the hillside overlay area, including exceptions to the hillside design standards. The proposal includes a Type 2 variance due to the proposed driveway grade exceeding 18%. The applicant also requests a tree removal permit to remove 67 trees, 63 of which are between 6" and 12" Diameter at Breast Height (DBH), 8 of which are dead, and 4 are significant trees which are larger than 12" DBH.

**COMPREHENSIVE PLAN DESIGNATION:** Low Density Residential; **ZONING:** RR-.5; **MAP:** 39 1E 08 DA; **TAX LOTS:** 1800

**ASHLAND PLANNING COMMISSION MEETING:** *Tuesday March 11, 2025 at 7:00 PM, Ashland Civic Center, 1175 East Main Street*



### COMMUNITY DEVELOPMENT DEPARTMENT

51 Winburn Way  
Ashland, Oregon 97520  
[ashland.or.us](http://ashland.or.us)

Tel: 541.488.5305  
Fax: 541.552.2050  
TTY: 800.735.2900

Notice is hereby given that a PUBLIC HEARING on the following request with respect to the ASHLAND LAND USE ORDINANCE will be held before the ASHLAND PLANNING COMMISSION on meeting date shown above. The meeting will be at the ASHLAND CIVIC CENTER, 1175 East Main Street, Ashland, Oregon.

A copy of the application, including all documents, evidence and applicable criteria are available online at "What's Happening in my City" at <https://gis.ashland.or.us/developmentproposals/>. Copies of application materials will be provided at reasonable cost, if requested. Application materials may be requested to be reviewed in-person at the Ashland Community Development & Engineering Services Building, 51 Winburn Way, via a pre-arranged appointment by calling (541) 488-5305 or emailing [planning@ashland.or.us](mailto:planning@ashland.or.us).

The ordinance criteria applicable to this application are attached to this notice. Oregon law states that failure to raise an objection concerning this application, either in person or by letter, or failure to provide sufficient specificity to afford the decision maker an opportunity to respond to the issue, precludes your right of appeal to the Land Use Board of Appeals (LUBA) on that issue. Failure to specify which ordinance criterion the objection is based on also precludes your right of appeal to LUBA on that criterion. Failure of the applicant to raise constitutional or other issues relating to proposed conditions of approval with sufficient specificity to allow this Commission to respond to the issue precludes an action for damages in circuit court.

During the Public Hearing, the Chair shall allow testimony from the applicant and those in attendance concerning this request. The Chair shall have the right to limit the length of testimony and require that comments be restricted to the applicable criteria. Unless there is a continuance, if a participant so requests before the conclusion of the hearing, the record shall remain open for at least seven days after the hearing.

If you have questions or comments concerning this request, please feel free to contact Veronica Allen at 541-488-5305 or [planning@ashland.or.us](mailto:planning@ashland.or.us).

In compliance with the American with Disabilities Act, if you need special assistance to participate in this meeting, please contact the City Administrator's office at 541-488-6002 (TTY phone number 1-800-735-2900). Notification 72 hours prior to the meeting will enable the City to make reasonable arrangements to ensure accessibility to the meeting. (28 CFR 35.102.-35.104 ADA Title I).

## PHYSICAL & ENVIRONMENTAL CONSTRAINTS

### 18.3.10.050

An application for a Physical Constraints Review Permit is subject to the Type I procedure in section 18.5.1.050 and shall be approved if the proposal meets all of the following criteria.

- A. Through the application of the development standards of this chapter, the potential impacts to the property and nearby areas have been considered, and adverse impacts have been minimized.
- B. That the applicant has considered the potential hazards that the development may create and implemented measures to mitigate the potential hazards caused by the development.
- C. That the applicant has taken all reasonable steps to reduce the adverse impact on the environment. Irreversible actions shall be considered more seriously than reversible actions. The Staff Advisor or Planning Commission shall consider the existing development of the surrounding area, and the maximum development permitted by this ordinance.

## EXCEPTION TO THE DEVELOPMENT STANDARDS FOR HILLSIDE LANDS

### 18.3.10.090.H

An exception under this section is not subject to the variance requirements of chapter 18.5.5 Variances. An application for an exception is subject to the Type I procedure in section 18.5.1.050 and may be granted with respect to the development standards for Hillside Lands if the proposal meets all of the following criteria.

1. There is demonstrable difficulty in meeting the specific requirements of this chapter due to a unique or unusual aspect of the site or proposed use of the site.

## **COMMUNITY DEVELOPMENT DEPARTMENT**

51 Winburn Way  
Ashland, Oregon 97520  
[ashland.or.us](http://ashland.or.us)

Tel: 541.488.5305  
Fax: 541.552.2050  
TTY: 800.735.2900



2. The exception will result in equal or greater protection of the resources protected under this chapter.
3. The exception is the minimum necessary to alleviate the difficulty.
4. The exception is consistent with the stated Purpose and Intent of chapter [18.3.10](#) Physical and Environmental Constraints Overlay chapter and section 18.3.10.090 Development Standards for Hillside Lands.

## **VARIANCE**

### **18.5.5.050**

1. The variance is necessary because the subject code provision does not account for special or unique physical circumstances of the subject site, such as topography, natural features, adjacent development, or similar circumstances. A legal lot determination may be sufficient evidence of a hardship for purposes of approving a variance.
2. The variance is the minimum necessary to address the special or unique physical circumstances related to the subject site.
3. The proposal's benefits will be greater than any negative impacts on the development of the adjacent uses and will further the purpose and intent of this ordinance and the Comprehensive Plan of the City.
4. The need for the variance is not self-imposed by the applicant or property owner. For example, the variance request does not arise as result of a property line adjustment or land division approval previously granted to the applicant.

## **TREE REMOVAL PERMIT (AMC 18.5.7.040.B)**

1. **Hazard Tree.** A Hazard Tree Removal Permit shall be granted if the approval authority finds that the application meets all of the following criteria, or can be made to conform through the imposition of conditions.
  - a. The applicant must demonstrate that the condition or location of the tree presents a clear public safety hazard (i.e., likely to fall and injure persons or property) or a foreseeable danger of property damage to an existing structure or facility, and such hazard or danger cannot reasonably be alleviated by treatment, relocation, or pruning. See definition of hazard tree in part 18.6.
  - b. The City may require the applicant to mitigate for the removal of each hazard tree pursuant to section 18.5.7.050. Such mitigation requirements shall be a condition of approval of the permit.
2. **Tree That is Not a Hazard.** A Tree Removal Permit for a tree that is not a hazard shall be granted if the approval authority finds that the application meets all of the following criteria, or can be made to conform through the imposition of conditions.
  - a. The tree is proposed for removal in order to permit the application to be consistent with other applicable Land Use Ordinance requirements and standards, including but not limited to applicable Site Development and Design Standards in part 18.4 and Physical and Environmental Constraints in part 18.10.
  - b. Removal of the tree will not have a significant negative impact on erosion, soil stability, flow of surface waters, protection of adjacent trees, or existing windbreaks.
  - c. Removal of the tree will not have a significant negative impact on the tree densities, sizes, canopies, and species diversity within 200 feet of the subject property. The City shall grant an exception to this criterion when alternatives to the tree removal have been considered and no reasonable alternative exists to allow the property to be used as permitted in the zone.
  - d. Nothing in this section shall require that the residential density to be reduced below the permitted density allowed by the zone. In making this determination, the City may consider alternative site plans or placement of structures of alternate landscaping designs that would lessen the impact on trees, so long as the alternatives continue to comply with the other provisions of this ordinance.
  - e. The City shall require the applicant to mitigate for the removal of each tree granted approval pursuant to section 18.5.7.050. Such mitigation requirements shall be a condition of approval of the permit.

## **ADDITIONAL PRELIMINARY FLAG LOT PARTITION PLAT CRITERIA**

### **18.5.3.060**

The approval authority shall approve a preliminary plat application for a flag lot partition only where all of the following criteria are met.

- A. The criteria of section [18.5.3.050](#) are met.
- B. For the purpose of meeting the minimum lot area requirement, the lot area, exclusive of the flag drive area, must meet the

## **COMMUNITY DEVELOPMENT DEPARTMENT**

51 Winburn Way  
Ashland, Oregon 97520  
[ashland.or.us](http://ashland.or.us)

Tel: 541.488.5305  
Fax: 541.552.2050  
TTY: 800.735.2900



minimum square footage requirements of the zoning district.

- C. Flag drives shall be in the same ownership as the flag lots served. Where two or more lots are served by the same flag drive, the flag drive shall be owned by one of the lots and an easement for access shall be granted to the other lot or lots.
- D. Except as provided in subsection 18.5.3.060.H, below, the flag drive serving a single flag lot shall have a minimum width of 15 feet and contain a 12 foot wide paved driving surface. For drives serving two flag lots, the flag drive shall be 20 feet wide, with a 15 foot wide driving surface to the back of the first lot, and a 12 foot wide driving surface to the rear lot. Drives shared by adjacent properties shall have a width of 20 feet, with a 15 foot paved driving surface. Width shall be increased on turns where necessary to ensure fire apparatus remain on a paved surface during travel.
- E. Curb cuts have been minimized, where possible, through the use of common driveways. No more than two flag lots are served by the flag drive.
- F. Flag drive grades shall not exceed a maximum grade of 15 percent. Variances may be granted for flag drives for grades in excess of 15 percent but no greater than 18 percent for not more than 200 feet. Such variances shall be required to meet all of the criteria for approval in chapter [18.5.5](#) Variances.
- G. Flag drives shall be constructed to prevent surface drainage from flowing over sidewalks or other public ways.
- H. Flag lots adjacent to an alley shall meet all of the requirements of this section, except that:
  - 1. Vehicle access shall be from the alley only where required as a condition of approval.
  - 2. No screening and paving requirements shall be required for the flagpole.
  - 3. A four foot pedestrian path shall be installed within the flagpole and improved and maintained with either a concrete, asphalt, brick, or paver block surface connecting the street to the buildable area of the flag lot.
  - 4. The flag pole width shall be no less than eight feet wide and the entrance of the pole at the street shall be identified by the address of the flag lot clearly visible from the street on a four-inch by four-inch post that is 3½ feet high. The post shall be painted white with black numbers three inches high running vertically down the front of the post. For flagpoles serving two or more dwellings, the addresses of such dwellings shall be on a two foot by three foot white sign clearly visible from the street with three-inch black numbers.
- I. Flag drives and fire work areas shall be deemed Fire Apparatus Access Roads under the Oregon Fire Code and subject to all requirements thereof.
- J. When required by the Oregon Fire Code, flag drives greater than 150 feet in length shall provide a turnaround (see Figure [18.4.6.040](#) G.5). The Staff Advisor, in coordination with the Fire Code Official, may extend the distance of the turnaround requirement up to a maximum of 250 feet in length as allowed by Oregon Fire Code access exemptions.
- K. Each flag lot has at least three parking spaces situated to eliminate the necessity for vehicles backing out.
- L. There shall be no parking within ten feet of the centerline of the drive on either side of the flag drive entrance.
- M. Flag drives serving structures greater than 24 feet in height, as defined in part 18.6, shall provide a fire work area of 20 feet by 40 feet clear of vertical obstructions and within 50 feet of the structure. The fire work area requirement shall be waived if the structure served by the drive has an approved automatic sprinkler system installed.
- N. Both sides of the flag drive have been screened with a site-obscuring fence, wall or fire resistant broadleaf evergreen site-obscuring hedge to a height of from four to six feet, except in the front yard setback area where, starting five feet from the property line, the height shall be from 30 to 42 inches in the remaining setback area. Such fence or landscaping shall be placed to ensure fire apparatus access is not obstructed by the encroachment of mature landscaping.
- O. The applicant has executed and filed with the Community Development Department an agreement between applicant and the City for paving and screening of the flag drive. Such an agreement shall specify the period within which the applicant, or agent for applicant, or contractor shall complete the paving to standards as specified by the Public Works Director and screening as required by this section, and providing that if applicant should fail to complete such work within such period, the City may complete the same and recover the full cost and expense thereof from the applicant. An agreement shall also provide for the maintenance of the paving and screening pursuant to this section, and assurance ongoing maintenance.
- P. Flag lots shall be required to provide a useable yard area that has a minimal dimension of 20 feet wide by 20 feet deep. As used in this chapter, the term "useable yard area" means a private yard area which is unobstructed by a structure or automobile from the ground upward.

**COMMUNITY DEVELOPMENT DEPARTMENT**

51 Winburn Way  
Ashland, Oregon 97520  
[ashland.or.us](http://ashland.or.us)

Tel: 541.488.5305  
Fax: 541.552.2050  
TTY: 800.735.2900